



**DS-1004HMI Mobile DVR Backup
Device**

Technical Manual

Notices

The information in this documentation is subject to change without notice and does not represent any commitment on behalf of HIKVISION. HIKVISION disclaims any liability whatsoever for incorrect data that may appear in this documentation. The product(s) described in this documentation are furnished subject to a license and may only be used in accordance with the terms and conditions of such license.

Copyright © 2006-2010 by HIKVISION. All rights reserved.

This documentation is issued in strict confidence and is to be used only for the purposes for which it is supplied. It may not be reproduced in whole or in part, in any form, or by any means or be used for any other purpose without prior written consent of HIKVISION and then only on the condition that this notice is included in any such reproduction. No information as to the contents or subject matter of this documentation, or any part thereof, or arising directly or indirectly therefrom, shall be given orally or in writing or shall be communicated in any manner whatsoever to any third party being an individual, firm, or company or any employee thereof without the prior written consent of HIKVISION. Use of this product is subject to acceptance of the HIKVISION agreement required to use this product. HIKVISION reserves the right to make changes to its products as circumstances may warrant, without notice.

This documentation is provided “as-is,” without warranty of any kind.

Please send any comments regarding the documentation to:
overseabusiness@hikvision.com

Find out more about HIKVISION at www.hikvision.com

Contents

- 1. Overview**
- 2. Model Description**
- 3. Hardware Interface**
- 4. Specifications**

1. Overview

DS-1004HMI backup device is designed especially for mobile DVR of pluggable hard drivers. It is used for backup the recorded video files from mobile DVR hard drivers. It is simple and convenient to use.

You can plug the hard drivers of mobile DVR into DS-1004HMI, after you connect DS-1004HMI to PC via USB or eSATA, you can copy the video files directly or using export software, then save or playback the video files in computer.

It is an optional peripheral device for Hikvision DS-81xxHMI, DS-8008HMI/HMFI, DS-8012HMI/HMFI and DS-8600HMFI-GA series car mobile DVR.



DS-1004HMI Front Panel

2. Model Description

DS-1004HMI: support 2 SATA HDD and 1 e-SATA interface, support USB 2.0 interface.

Note: The default DVR package is without HDD.

A factory recommended HDD should be used for this device.

3. Hardware Interface



1. USB Interface
2. USB Status Indicator
3. POWER Status Indicator
4. eSATA Interface
5. DC IN Interface

4. Specifications

Model	DS-1004HMI
HDD interface	2, support 2.5" SATA HDD
External interface	1 e-SATA interface 1 USB2.0 interface
Power supply	DC +12V
Power consumption	2W (without HDD)
Working temperature	-10°C~+55°C
Working humidity	10%~90%
Size	146mm(W)*79mm(H)*203mm(D)
Weight	≤1.5Kg (without HDD)